

NAME

CURLINFO_LASTSOCKET – get the last socket used

SYNOPSIS

```
#include <curl/curl.h>
```

```
CURLcode curl_easy_getinfo(CURL *handle, CURLINFO_LASTSOCKET, long *socket);
```

DESCRIPTION

Deprecated since 7.45.0. Use *CURLINFO_ACTIVESOCKET(3)* instead.

Pass a pointer to a long to receive the last socket used by this curl session. If the socket is no longer valid, -1 is returned. When you finish working with the socket, you must call *curl_easy_cleanup()* as usual and let libcurl close the socket and cleanup other resources associated with the handle. This is typically used in combination with *CURLOPT_CONNECT_ONLY(3)*.

NOTE: this API is deprecated since it is not working on win64 where the SOCKET type is 64 bits large while its 'long' is 32 bits. Use the *CURLINFO_ACTIVESOCKET(3)* instead, if possible.

PROTOCOLS

All

EXAMPLE

TODO

AVAILABILITY

Added in 7.15.2

RETURN VALUE

Returns CURLE_OK if the option is supported, and CURLE_UNKNOWN_OPTION if not.

SEE ALSO

curl_easy_getinfo(3), *curl_easy_setopt(3)*, *CURLINFO_ACTIVESOCKET(3)*,